



Ring of Light

Modern, slim lines provided with the highest quality of LED.

Endless possibilities give you the opportunity to create this architectural masterpiece entirely according to your own wishes. Pick a colour, size and even the colour of the LED. Make your own arrangement of multiple sizes and colors. You are in charge!

Contemporary techniques that are incorporated in this design ensure an always appropriate atmospheric experience. By adjusting the suspension system as desired, you determine the shape and location of the light experience yourself.

The placement of various LED modules is optional, so that you can perfectly shape the light experience to your style. For example, RGB or different white tones that can be mixed endlessly.

With the wireless controller®, the LED lights can be adjusted in colour temperature and light output. By attaching the wireless touch controller to your wall or desk, you can adjust the light output anytime you wish. You can control up to 500 Ring of Lights, with a single controller.

In short, a high quality Dutch handmade product, made by people with a passion for the beauty of light.

We hope you'll enjoy our craftsmanship.

For any questions, please do not hesitate to contact us.

*On request, the Ring of Light can also be made in different sizes, heights, colors and shapes. For example square or rectangular.


Product Specifications

- **Toppanel:**
Composite light weight aluminium
- **Diffusor:**
Satin White acrylic specialized for LED
- **Outside and Inside:**
La Lina Luxury Dual Satin © composite material,
containing PVC, Polyester and Cotton
- **Suspension:**
Galvanised steel with high grade cable holders
- **Ceilingcanopy:**
Steel coated white or black



Product Specifications

■ Art No:
ROL40030080



■ Outer Diameter:
400mm

■ Inner Diameter:
300mm

■ Height:
80mm

■ LED Power:
15W

■ Luminous Flux:
2.025lm


■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Art No:
ROL50040080



■ Outer Diameter:
500mm

■ Inner Diameter:
400mm

■ Height:
80mm

■ LED Power:
20W

■ Luminous Flux:
2.700lm


■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Art No:
ROL60050080



■ Outer Diameter:
600mm

■ Inner Diameter:
500mm

■ Height:
80mm

■ LED Power:
26W

■ Luminous Flux:
3.510lm

■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING


Projects





Product Specifications

■ Art No:
ROL70060080



■ Outer Diameter:
700mm

■ Inner Diameter:
600mm

■ Height:
80mm

■ LED Power:
31W

■ Luminous Flux:
4.185lm


■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Art No:
ROL80070080



■ Outer Diameter:
800mm

■ Inner Diameter:
700mm

■ Height:
80mm

■ LED Power:
35W

■ Luminous Flux:
4.725lm


■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Art No:
ROL90080080



■ Outer Diameter:
900mm

■ Inner Diameter:
800mm

■ Height:
80mm

■ LED Power:
40W

■ Luminous Flux:
5.400lm

■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

Product Specifications

■ Art No:
ROL100090080



■ Outer Diameter:
1000mm

■ Inner Diameter:
900mm

■ Height:
80mm

■ LED Power:
44W

■ Luminous Flux:
5.940lm


■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Art No:
ROL1200110080



■ Outer Diameter:
1200mm

■ Inner Diameter:
1100mm

■ Height:
80mm

■ LED Power:
53W

■ Luminous Flux:
7.155lm


■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Art No:
ROL1400130080



■ Outer Diameter:
1400mm

■ Inner Diameter:
1300mm

■ Height:
80mm

■ LED Power:
62W

■ Luminous Flux:
8.370lm

■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

Projects



Color Swatches



Monaco 02
Satin White



Monaco 03
Satin Gold



Monaco 10
Satin Azur



Monaco 19
Satin Orange



Monaco 20
Satin Black



Monaco 34
Satin Blue



Monaco 50
Satin L. Taupe




Monaco 57
Satin Platinum



Monaco 86
Satin Champagne



Monaco 81
Satin Graphite




Monaco 82
Satin D. Taupe



Monaco 83
Satin Amber



PCW01
Matt White



PCW20
Matt Black




PCW81
Matt Anthracite

*Actual colors may vary slightly.

Product Specifications

Art No:
ROL1500140080



Outer Diameter:
1500mm

Inner Diameter:
1400mm

Height:
80mm

LED Power:
66W

Luminous Flux:
8.910lm


Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

CRI:
90+

Build in LED Driver:
Meanwell

Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

Art No:
ROL1600150080



Outer Diameter:
1600mm

Inner Diameter:
1500mm

Height:
80mm

LED Power:
70W

Luminous Flux:
9.450lm


Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

CRI:
90+

Build in LED Driver:
Meanwell

Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

Art No:
ROL1800170080



Outer Diameter:
1800mm

Inner Diameter:
1700mm

Height:
80mm

LED Power:
80W

Luminous Flux:
10.800lm

Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB


CRI:
90+

Build in LED Driver:
Meanwell

Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

Product Specifications

■ Art No:
ROL2000190080



■ Outer Diameter:
2000mm

■ Inner Diameter:
1900mm

■ Height:
80mm

■ LED Power:
90W

■ Luminous Flux:
12.150lm


■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Art No:
ROL2200210080



■ Outer Diameter:
2200mm

■ Inner Diameter:
2100mm

■ Height:
80mm

■ LED Power:
99W

■ Luminous Flux:
13.365lm


■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Art No:
ROL2400230080



■ Outer Diameter:
2400mm

■ Inner Diameter:
2300mm

■ Height:
80mm

■ LED Power:
110W

■ Luminous Flux:
14.850lm

■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

Projects



Projects





Nexus (Aluminium Series)

Nexus

Aluminium Series

Nexus Series

The Linia Nexus series includes a number of handmade aluminum light fixtures that are available in a wide variety of shapes, sizes and finishes.

Ring of Light Nexus

Modern, handmade ring luminaire with a width of 50 mm and a height of 60 mm. Can be fitted with 2700K, 3000K and 4000K LED modules. Optionally equipped with direct and/or indirect lighting

Ring of Light Nexus Slim

An extra narrow ring luminaire with a width of 40mm and a height of 60mm. Create beautiful compositions with an arrangement of the Ring of Light Nexus Slim, by combining different sizes.

Nexus Beam

The Nexus Beam is a LEDLine fixture that can be placed in a suspended position, available in various widths and lengths. Manufactured from thick-walled aluminum for proper cooling of the LED modules.

Nexus Square


The Nexus Square is an aluminum square or rectangular fixture, which is also very suitable for workplaces due to the high lumen output.

LED

Our high-quality LED boards produced in the Netherlands have an efficiency of 135 lumens per Watt, a CRI of 90+ and a standard warranty period of 5 years. Combined with high quality MEANWELL LED drivers we deliver a high quality range of LED lighting fixtures

Color Swatches


Nexus series



RAL 7021



ANTIQUE SILVER



RAL 9005



BRUSHED COPPER



GOLD



BRUSHED SILVER




COPPER



BRUSHED GOLD



BRONZE



GOLD LEAF



COPPERBRONZE




COPPERFOIL

Product Specifications

Nexus

■ Model:
NEXUS40030060



■ Outer Diameter:
400mm

■ Inner Diameter:
300mm

■ Height:
60mm

■ LED Power:
15W

■ Luminous Flux:
2.025lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUS50040060



■ Outer Diameter:
500mm

■ Inner Diameter:
400mm

■ Height:
60mm

■ LED Power:
20W

■ Luminous Flux:
2.700lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUS60050060



■ Outer Diameter:
600mm

■ Inner Diameter:
500mm

■ Height:
60mm

■ LED Power:
26W

■ Luminous Flux:
3.510lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell


■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

Product Specifications

Nexus

■ Model:
NEXUS70060060



■ Outer Diameter:
700mm

■ Inner Diameter:
600mm

■ Height:
60mm

■ LED Power:
31W

■ Luminous Flux:
4.185lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUS80070060



■ Outer Diameter:
800mm

■ Inner Diameter:
700mm

■ Height:
60mm

■ LED Power:
35W

■ Luminous Flux:
4.725lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUS90080060



■ Outer Diameter:
900mm

■ Inner Diameter:
800mm

■ Height:
60mm

■ LED Power:
40W

■ Luminous Flux:
5.200lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell


■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

Product Specifications

Nexus

■ Model:
NEXUS100090060



■ Outer Diameter:
1000mm

■ Inner Diameter:
900mm

■ Height:
60mm

■ LED Power:
44W

■ Luminous Flux:
5.940lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUS1200110060



■ Outer Diameter:
1200mm

■ Inner Diameter:
1100mm

■ Height:
60mm

■ LED Power:
53W

■ Luminous Flux:
7.155lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUS1400130060



■ Outer Diameter:
1400mm

■ Inner Diameter:
1300mm

■ Height:
60mm

■ LED Power:
62W

■ Luminous Flux:
8.370lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

Projects




Projects



Product Specifications

Nexus

■ Model:
NEXUS1500140060



■ Outer Diameter:
1500mm

■ Inner Diameter:
1400mm

■ Height:
60mm

■ LED Power:
66W

■ Luminous Flux:
8.910lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUS1600150060



■ Outer Diameter:
1600mm

■ Inner Diameter:
1500mm

■ Height:
60mm

■ LED Power:
70W

■ Luminous Flux:
9.450lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUS1800170060



■ Outer Diameter:
1800mm

■ Inner Diameter:
1700mm

■ Height:
60mm

■ LED Power:
80W

■ Luminous Flux:
10.800lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell


■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

Product Specifications

Nexus

■ Model:
NEXUS2000190060



■ Outer Diameter:
2000mm

■ Inner Diameter:
1900mm

■ Height:
60mm

■ LED Power:
90W

■ Luminous Flux:
12.150lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUS2200210060



■ Outer Diameter:
2200mm

■ Inner Diameter:
2100mm

■ Height:
60mm

■ LED Power:
100W

■ Luminous Flux:
13.365lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUS2400230060



■ Outer Diameter:
2400mm

■ Inner Diameter:
2300mm

■ Height:
60mm

■ LED Power:
110W

■ Luminous Flux:
14.850lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic



Nexus Slim (Aluminum Series)

Nexus Slim




Nexus Slim



Product Specifications

Nexus Slim

■ Model:
NEXUSSLIM400



■ Outer Diameter:
400mm

■ Inner Diameter:
320mm

■ Height:
60mm

■ LED Power:
15W

■ Luminous Flux:
2.025lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSSLIM500



■ Outer Diameter:
500mm

■ Inner Diameter:
420mm

■ Height:
60mm

■ LED Power:
20W

■ Luminous Flux:
2.700lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSSLIM600



■ Outer Diameter:
600mm

■ Inner Diameter:
520mm

■ Height:
60mm

■ LED Power:
26W

■ Luminous Flux:
3.510lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell


■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

Product Specifications

Nexus Slim

■ Model:
NEXUSSLIM700



■ Outer Diameter:
700mm

■ Inner Diameter:
620mm

■ Height:
60mm

■ LED Power:
31W

■ Luminous Flux:
4.185lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSSLIM800



■ Outer Diameter:
800mm

■ Inner Diameter:
720mm

■ Height:
60mm

■ LED Power:
35W

■ Luminous Flux:
4.725lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSSLIM900



■ Outer Diameter:
900mm

■ Inner Diameter:
820mm

■ Height:
60mm

■ LED Power:
40W

■ Luminous Flux:
5.500lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell


■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

Product Specifications

Nexus Slim

■ Model:
NEXUSSLIM1000



■ Outer Diameter:
1000mm

■ Inner Diameter:
920mm

■ Height:
60mm

■ LED Power:
44W

■ Luminous Flux:
5.940lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSSLIM1200



■ Outer Diameter:
1200mm

■ Inner Diameter:
1120mm

■ Height:
60mm

■ LED Power:
53W

■ Luminous Flux:
7.155lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSSLIM1400



■ Outer Diameter:
1400mm

■ Inner Diameter:
1320mm

■ Height:
60mm

■ LED Power:
62W

■ Luminous Flux:
8.370lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

Projects




Projects



Product Specifications

Nexus Slim

■ Model:
NEXUSSLIM1500



■ Outer Diameter:
1500mm

■ Inner Diameter:
1420mm

■ Height:
60mm

■ LED Power:
66W

■ Luminous Flux:
8.910lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSSLIM1600



■ Outer Diameter:
1600mm

■ Inner Diameter:
1520mm

■ Height:
60mm

■ LED Power:
70W

■ Luminous Flux:
9.450lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSSLIM1800



■ Outer Diameter:
1800mm

■ Inner Diameter:
1720mm

■ Height:
60mm

■ LED Power:
80W

■ Luminous Flux:
10.800lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell


■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

Product Specifications

Nexus Slim

■ Model:
NEXUSSLIM2000



■ Outer Diameter:
2000mm

■ Inner Diameter:
1920mm

■ Height:
60mm

■ LED Power:
90W

■ Luminous Flux:
12.150lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSSLIM2200



■ Outer Diameter:
2200mm

■ Inner Diameter:
2120mm

■ Height:
60mm

■ LED Power:
100W

■ Luminous Flux:
13.365lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSSLIM2400



■ Outer Diameter:
2400mm

■ Inner Diameter:
2320mm

■ Height:
60mm

■ LED Power:
110W

■ Luminous Flux:
14.850lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic



Ring of Light Zero

Ring of Light Zero

The Ring of Light Zero is a minimalist design fixture, you don't need a giant luminaire to enjoy great lighting! Handmade out of high-grade aluminium, bend, welded and painted in our factory, the Zero is the latest addition to our Ring of Light series.


With a very compact/slim profile, this Ring of Light stands out from the crowd.

Combine multiple sizes as the grand chandelier, or use single rings as a design statement, use our lighting as you see fit! Dimensions ranging from 400mm to 2000mm.

The Ring of Light Zero is available with inward and outward lighting. The Zero X offers inward lighting, as the Zero Y has outward lighting.

Color Swatches


Ring of Light Zero



RAL 7021



ANTIQUE SILVER



RAL 9005



BRUSHED COPPER



GOLD



BRUSHED SILVER



COPPER



BRUSHED GOLD



BRONZE



GOLD LEAF



COPPERBRONZE



COPPERFOIL


Ring of Light Zero



Product Specifications

Zero X (Inward Lighting)

■ Model:
ZEROX600



■ Outer Diameter:
600mm

■ Height:
18mm

■ LED Power:
18W

■ Luminous Flux:
1.410lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
ZEROX700



■ Outer Diameter:
700mm

■ Height:
18mm

■ LED Power:
21W

■ Luminous Flux:
1.640lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
ZEROX800



■ Outer Diameter:
800mm

■ Height:
18mm

■ LED Power:
24W

■ Luminous Flux:
1.880lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell


■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

Product Specifications

Zero X (Inward Lighting)

■ Model:
ZEROX900



■ Outer Diameter:
900mm

■ Height:
18mm

■ LED Power:
27W

■ Luminous Flux:
2.115lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
ZEROX1000



■ Outer Diameter:
1000mm

■ Height:
18mm

■ LED Power:
30W

■ Luminous Flux:
2.355lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
ZEROX1200



■ Outer Diameter:
1200mm

■ Height:
18mm

■ LED Power:
36W

■ Luminous Flux:
2.825lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell


■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

Product Specifications

Zero X (Inward Lighting)

■ Model:
ZEROX1400



■ Outer Diameter:
1400mm

■ Height:
18mm

■ LED Power:
44W

■ Luminous Flux:
3.520lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
ZEROX1600



■ Outer Diameter:
1600mm

■ Height:
18mm

■ LED Power:
50W

■ Luminous Flux:
4.000lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
ZEROX2000



■ Outer Diameter:
2000mm

■ Height:
18mm

■ LED Power:
63W

■ Luminous Flux:
5.000lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell


■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

Product Specifications

Zero Y (Outward Lighting)

■ Model:
ZEROY600



■ Outer Diameter:
600mm

■ Height:
18mm

■ LED Power:
18W

■ Luminous Flux:
1.410lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
ZEROY700



■ Outer Diameter:
700mm

■ Height:
18mm

■ LED Power:
21W

■ Luminous Flux:
1.640lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
ZEROY800



■ Outer Diameter:
800mm

■ Height:
18mm

■ LED Power:
24W

■ Luminous Flux:
1.880lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell


■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

Product Specifications

Zero Y (Outward Lighting)

■ Model:
ZEROY900



■ Outer Diameter:
900mm

■ Height:
18mm

■ LED Power:
27W

■ Luminous Flux:
2.115lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
ZEROY1000



■ Outer Diameter:
1000mm

■ Height:
18mm

■ LED Power:
30W

■ Luminous Flux:
2.355lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
ZEROY1200



■ Outer Diameter:
1200mm

■ Height:
18mm

■ LED Power:
36W

■ Luminous Flux:
2.825lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell


■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

Product Specifications

Zero Y (Outward Lighting)

■ Model:
ZEROY1400



■ Outer Diameter:
1400mm

■ Height:
18mm

■ LED Power:
44W

■ Luminous Flux:
3.520lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
ZEROY1600



■ Outer Diameter:
1600mm

■ Height:
18mm

■ LED Power:
50W

■ Luminous Flux:
4.000lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
ZEROY2000



■ Outer Diameter:
2000mm

■ Height:
18mm

■ LED Power:
63W

■ Luminous Flux:
5.000lm

■ Color Temperature:
2700K
3000K
4000K


TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic



RING SET 1

Bestaat uit

- 1 x Plafondkap 26CM
- 1 x Ring 600 mm
- 1 x Ring 800 mm
- 1 x Ring 1000 mm

Driver in plafondkap, of te plaatsen boven plafond.

Technische specificaties


Uitvoering	Totaal vermogen	Lichtkleur	Optioneel
Finalis	105 watt	2200K, 2700K, 3000K, 4000K	Dimbaar, Indirect
Nexus Slim	105 watt	2200K, 2700K, 3000K, 4000K	Dimbaar, Indirect
Zero(X/Y)	72 watt	2200K, 2700K, 3000K, 4000K	Dimbaar

Plafondkappen zijn verkrijgbaar in


RAL9016 WIT MAT
RAL9005 ZWART MAT

Verkrijgbaar in:


- Finalis
- Nexus Slim
- Zero(X/Y)




Finalis



Nexus Slim





Zero(X)



Zero(Y)

Licht Richting





RING SET 2

Bestaat uit

- 1 x Plafondplaat Small of Breed
- 2 x Ring 600 mm
- 3 x Ring 800 mm

Driver in plafondplaat, of te plaatsen boven plafond.

Technische specificaties

Uitvoering	Totaal vermogen	Lichtkleur	Optioneel
Finalis	150 watt	2200K, 2700K, 3000K, 4000K	Dimbaar, Indirect
Nexus Slim	150 watt	2200K, 2700K, 3000K, 4000K	Dimbaar, Indirect
Zero(X/Y)	108 watt	2200K, 2700K, 3000K, 4000K	Dimbaar

Plafondplaten zijn verkrijgbaar in:


RAL9016 WIT MAT
RAL9005 ZWART MAT

Mogelijke maten:


Small: 1500x120 mm
Breed: 1500x400 mm

Verkrijgbaar in:


- Finalis
- Nexus Slim
- Zero(X/Y)




Finalis



Nexus Slim






Zero(X)



Zero(Y)

Licht Richting





RING SET 3

Bestaat uit

- 1 x Plafondkap 26CM
- 1 x Ring 400 mm
- 1 x Ring 600 mm
- 1 x Ring 800 mm

Driver in plafondkap, of te plaatsen boven plafond.

Technische specificaties


Uitvoering	Totaal vermogen	Lichtkleur	Optioneel
Finalis	76 watt	2200K, 2700K, 3000K, 4000K	Dimbaar, Indirect
Nexus Slim	76 watt	2200K, 2700K, 3000K, 4000K	Dimbaar, Indirect
Zero(X/Y)	55 watt	2200K, 2700K, 3000K, 4000K	Dimbaar

Plafondkappen zijn verkrijgbaar in


RAL9016 WIT MAT
RAL9005 ZWART MAT

Verkrijgbaar in:


- Finalis
- Nexus Slim
- Zero(X/Y)




Finalis



Nexus Slim





Zero(X)



Zero(Y)

Licht Richting





RING SET 4

Bestaat uit

- 1 x Plafondkap 26CM
- 1 x Ring 600 mm
- 1 x Ring 800 mm
- 1 x Ring 1000 mm

Driver in plafondkap, of te plaatsen boven plafond.

Technische specificaties


Uitvoering	Totaal vermogen	Lichtkleur	Optioneel
Finalis	105 watt	2200K, 2700K, 3000K, 4000K	Dimbaar, Indirect
Nexus Slim	105 watt	2200K, 2700K, 3000K, 4000K	Dimbaar, Indirect
Zero(X/Y)	72 watt	2200K, 2700K, 3000K, 4000K	Dimbaar

Plafondkappen zijn verkrijgbaar in


RAL9016 WIT MAT
RAL9005 ZWART MAT

Verkrijgbaar in:


- Finalis
- Nexus Slim
- Zero(X/Y)




Finalis



Nexus Slim





Zero(X)



Zero(Y)

Licht Richting





RING SET 5

Bestaat uit

- 1 x Plafondkap 26CM
- 1 x Ring 500 mm
- 2 x Ring 600 mm

Driver in plafondkap, of te plaatsen boven plafond.

Technische specificaties


Uitvoering	Totaal vermogen	Lichtkleur	Optioneel
Finalis	72 watt	2200K, 2700K, 3000K, 4000K	Dimbaar, Indirect
Nexus Slim	72 watt	2200K, 2700K, 3000K, 4000K	Dimbaar, Indirect
Zero(X/Y)	51 watt	2200K, 2700K, 3000K, 4000K	Dimbaar

Plafondkappen zijn verkrijgbaar in


RAL9016 WIT MAT
RAL9005 ZWART MAT

Verkrijgbaar in:


- Finalis
- Nexus Slim
- Zero(X/Y)




Finalis



Nexus Slim




Zero(X)



Zero(Y)

Licht Richting







CONTACT INFORMATIE

Licht- en Lichtplanadvies
Roberto Treffers

Kantoor Drunen
+31-615-831-851

Kantoor Antwerpen
+32-477-174-716

roberto.treffers@lichtplanadvies.eu